



SXM M0701
COLOR TFT LCD MONITOR

Instruction manual

SXM M0701

COLOR TFT LCD MONITOR


Carefully read the instruction manual for this product before using the equipment.

1. Product picture



2. Remote control operating instructions

Remote control functions:



1. Power button:

Allows you to turn the monitor on or off

2. Video switching:

Allows you to switch between the different available video sources.

3. Menu:

Allows access to the monitor on-screen menu.

4. Volume Up button (▶):

Allows you to increase the volume or other configuration parameters.

5. Mirror mode switch button (16:9 / 4:3):

Allows you to switch between different display formats

6. Volume Down button (◀):

Allows you to decrease the volume or other configuration parameters.

3. Screen functions and elements

Screen functions and elements:




1. IR Receiver:	Sensor for receiving signals from the remote control.
2. Power button:	Allows you to turn the screen on or off.
3. Function button / up:	Allows you to increase values or scroll up within the menu.
4. Function button / down:	Allows you to decrease values or scroll down within the menu.
5. Menu button:	Allows access to the on-screen settings menu.
6. Image rotation button:	Allows you to adjust the image orientation.
7. Video mode (16:9 / 4:3):	Allows you to select the image display format.

4. Functional parameters

Item	Parameter
Screen size	7 inch (16:9)
Power supply	DC 12-24 V
Power	6 W
Video	PAL and NTSC
Video input	CVBS
Pixels	800 × 480 pixels
Viewing angle	60 / 50 / 60 / 60
Brightness	300 cd/m ²
Operating temperature	-20 °C to 70 °C

5. Reference dimensions





www.sieraelectronics.com

Product may vary from description.

Designed by Siera / Assambled in PRC
Siera is a trademark of Siera Holding Group

902 92154